PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different) NAME (YPRIS I HIMPSI) ADDRESS (Include Facility Name Include	NING C		C2-16)	Form Approved OMB No. 2040-00 Expires 2-29-84							
CLAYTON	PERM	IT NUMBER	DISCI	HARGE NUMBER		B 8		S **	3 13		
			MONIT	ORING PERIO	OD 9		Pra.			SE M	
FACILITY		- market	FROM YEAR	MO D	AY TO YEAR	MO DAY	4 40h 600	Jalla N		38	
ATTN: BERT DOUGHTY.	ENVIRON-	SUPERV.	- $(20-21)$	(22-23) (24	AL ONE		NOTE: Read instruc	tions before	comp	leting this f	orm.
PARAMETER (32-37)	X		ANTITY OR LOADIN			QUALITY OR CON (46-53)		NO NO	NO.	FREQUENCY	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	MEDEUNITS			
PH	SAMPLE MEASUREMENT	and the second	\$10 \$10 \$10 \$10.	7.63	(2) E	the destroyer destre	7 1 10 10 10 10 10 10 10 10 10 10 10 10 1	The second	in cu	ubje u	THE STATE OF THE S
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	泰安安安 泰	*******	in white the site the site	O.a.5 MINIMUM	\$44000	9.0	0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		ECKLYS	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	李 华 华 农 农 农	मोन मोने गोन मोन मोन मोन		**************************************	1. 3		To some	nelt .		
00530 1 0 0 FEELUENT GROSS VALUE	PERMIT REQUIREMENT	000000	*****	andron Andron	000000	DATEY AV	DATI Y MX	MG/15		EEKL FG	100
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0	0		******	0.00000	- measure	TO THE STATE OF TH	***************************************	A A S	
50050 15 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DALLY MX	MGD	************	900000	5 000000	and	100	ATLY	
	SAMPLE MEASUREMENT			NO DISC	HARCE	A 30 4 50	MENS IN STREET	MAN		or ships	THE STATE OF THE S
HE HATEL	PERMIT REQUIREMENT							The second			
	SAMPLE MEASUREMENT					12 4 2 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8	THE STATE OF THE S	VATES DE LEGISTE DE LE		District Control of Co	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	PERMIT REQUIREMENT							2 0, 18 E			
	SAMPLE MEASUREMENT				A THE SECOND SEC	有一大	3 H H 10	the state of the s	SHIS IS		99
	PERMIT REQUIREMENT					1.					
	SAMPLE MEASUREMENT					7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	FD (SK)	2.34		3
	PERMIT REQUIREMENT							10 to			
C. G. Janes General Manager TYPED OR PRINTED	AND AN ON MY OBTAINII IS TRUE NIFICAN' THE PO 33 U S C and or n	FAMILIAR WITH THE INQUIRY OF THOSE NG THE INFORMATION CO. ACCURATE AND CO. T PENALTIES FOR S. SSIBILITY OF FINE AN § 1319. (Penalties una aximum imprisonment of	OF LAW THAT I HAVE INFORMATION SUBMITT INFORMATION SUBMITT INDIVIDUALS IMMEDIAT N. I BELIEVE THE SLEMPLETE. I AM AWARE UBMITTING FALSE INID IMPRISONMENT SEE PER these statutes may in the through the statutes and 5 the stat	ED HEREIN: AN ELY RESPONS JBMITTED INFO THAT THERE FORMATION. III 18 U.S.C. § Include fines up	ND BASED RIBLE FOR ORMATION ARE SIG- NCLUDING 1001 AND to \$10,000 SIGNAT	UPE OF PRINCIPAL CER OR AUTHORIZ		R38_22	00	87 12 YEAR MG	15
NO DISCHARGE OF FLOA				N OTHE	R THAN TRA	CE ANDUNT	Se Haller				100 H

NAME CYPRUS THOMPSON	_	(GE MONI (2-16)	TORING		- FINAL	FINAL Expires 2-29-84 CHARGE TO PAL HUGHES CREEK							
CLAYYON ID 83227			_ 1		25402 MIT NUMBER		DISCHARGE NUMBER		CONTRACTOR STATE	I SCHARGE TO	看给人	是古	ES CRE	EK 1
CLAYTON		PERMIT			DISCHAF		MBER		引以行					
FACILITY				WELD	MONITORING					和沙哥。	1 8 1 ER			
OCATION		N.	FROM	YEAR 87	MO D	ТО	YEAR		DAY M	AUCA CSUBA	18,198	H B B	58 V	
TTN: BERT DOUGHTY,	ENVIRON.	SUPERV.			(22-23) (24			(28-29) (3	30-31)	NOTE: Read instruct	ions before	compl	eting this fo	orm.
PARAMETER (32-37)	X	(3 Card Only) QUA (46-53)		LOADING		_				CONCENTRATION CE (54-61) OMPLIANCE		NO FRE	FREQUENCY OF ANALYSIS	SAMPLE
		AVERAGE	MAXIM	им .	UNITS	MINI	мим	AVE	ERAGE	MAXIMUMA	UNITS	(62-63)	(64-68)	(69-70)
PH	SAMPLE MEASUREMENT	教教教教教教	**	数章章		674	6.6	1 2	***	8.0	thank the state of	0	WKLY	GRAB
00400 1 0 0 FFLUENT GROSS VALUE	PERMIT REQUIREMENT	\$2.000 to	4444	00 0 K	e de de e de de de	MINI	o e5 MUR	10 to	3 2 2 2	NAX INUM	SU	100	CALT :	A S
SUSPENDED TOTAL	SAMPLE MEASUREMENT	মহৈ মান মহৈ চাতে চাতে মাত	হা হা হ	***		**	the state and	1/1/	4 1	2 2	No.	0	WKLY	GP 7
00530 1 0 0 FFLUENT GROSS VALUE	PERMIT REQUIREMENT	CASTAN CASTA	20 A 20 A		e alpha alpha e alpha alpha	2122	-	DAT	20 Y AV		MG/L		EEKLYG	W.
LOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.045	0.05			() = 400 kg	**	*	***	· · · · · · · · · · · · · · · · · · ·	To the control of the	0	DAII	Y
FFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT DAILY AV	REP O DAILY	000000000000000000000000000000000000000	IGD	500	0.00	20	0000	9 000000	****		EDLY Sec	
TE HERE	SAMPLE MEASUREMENT									HERE DE PORTO			TO THE STATE OF TH	
THING THE PERSON OF THE PERSON	PERMIT REQUIREMENT										THE WAY			
	SAMPLE MEASUREMENT						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
	PERMIT REQUIREMENT				4,5						A Q Y E			
	SAMPLE MEASUREMENT						11111111111111111111111111111111111111	1 3		10 10 10 10 10 10 10 10 10 10 10 10 10 1	Thorn of the control		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	PERMIT REQUIREMENT										NE S			
	SAMPLE MEASUREMENT						noite PLA	A E						
	PERMIT REQUIREMENT	ITY LINDER BENALTY C	SE LAW THAT	L HAVE DE	TECONAL IX	EVALUE DE			1		6-18			
C. G. Janes General Manager	AND AI ON MY OBTAIN IS TRU NIFICAN THE PO 33 U.S.	IFY UNDER PENALTY C W FAMILIAR WITH THE INQUIRY OF THOSE ING THE INFORMATION E. ACCURATE AND CO IT PENALTIES FOR S SSIBILITY OF FINE AN C § 1319. (Penalties una maximum imprisonment of	INFORMATION INDIVIDUALS II N. I BELIEVE IMPLETE. I AM UBMITTING FA D IMPRISONME Icer these statute	SUBMITTED IMMEDIATEL THE SUBI AWARE T ALSE INFO ENT. SEE 1 es may incl	HEREIN: AN Y RESPONS MITTED INFO HAT THERE RMATION. IF 8 U.S.C. § 1	ID BASED IBLE FOR DRMATION ARE SIG- NCLUDING OO1 AND				AL EXECUTIVE 208	B38-22	200	87 12	15
TYPED OR PRINTED OMMENT AND EXPLANATION OF ANY	进口的 化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基			ins and 5 yea	118.)		OFFI	CER OR	AUTHORIZ	ZED AGENT COD	E NUME	ER	YEAR MC	DAY
O DESCHARGE OF ALOA				AM IN	отне	R THAI	N TRA	CELA	MOUNT	MH & MH				4

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

P TITEE NAME/ADDRESS (Include

Form Approved